


Y-jet



এক বছরের ফ্রি বিক্রয়োত্তর সেবা
spare parts এর নিশ্চয়তা।

- ❖ ফ্যাক্টরি পরিচালনার জন্য সঠিক পরিকল্পনা বা প্রোডাকশন লেআউট।
- ❖ বাংলাদেশের বৃহত্তম ও দক্ষ আফটার সেলস সার্ভিস টিম।
- ❖ অরিজিনাল পার্টসের নিশ্চয়তা।
- ❖ ১ বছরের ওয়ারেন্টি।
- ❖ প্রফেশনাল সি এন সি ডিজাইনার সাপোর্ট।
- ❖ প্রফেশনাল এবং ফ্রি সি এন সি ডিজাইন ট্রেনিং।




Hotline: +88-01897993165

www.hasantechsolutions.com

Al-Razi complex, Suit#G-11th Floor, 166-167, Shahid Syed Nazrul Islam Sharani, Puran Paltan, Dhaka-1000


Mobile: +88-01897993165, +88-01897993160, E-mail: info@hasantechsolutions.com

Web: www.hasantechsolutions.com, Facebook: www.facebook.com/hasantechsolutions2025




Technical Specifications:

Model	HTC-Titan 1325	Brand	Y-jet
Name	Wood CNC router 1325	Platform	3mm Aluminum
Working Area	1300*2500*300mm	X,Y, Z Guide Rail	China TOP brand 25mm
Spindle Power	HQD 6KW Air Cooled Spindle	Rack	1.5M
No. of Spindles	One	Inverter Brand	7.5 KW Best (Option Folinn)
Control System	NC(Option: DSP)	Max Engraving Speed	6000-24000rpm
Motor	AC Servo Motor	Maxing Moving Speed	25000mm/min
Driver	Yako Servo Driver	Tool Diameter	φ3.175, φ4, φ6, φ12
Dust collector	Optional	Engraving Instruction	HPGL, G code
Working Voltage	AC220V/50HZ (AC can use 380V)	Reposition Accuracy	Reposition Accuracy




Technical Specifications:

Model	HTC-Titan Plus 1325	Brand	Y-jet
Name	Wood CNC router 1325	Platform	3mm Aluminum
Working Area	1300*2500*300mm	X,Y, Z Guide Rail	China TOP brand 25mm
Spindle Power	HQD 6KW Air Cooled Spindle	Rack	1.5M
No. of Spindles	One	Inverter Brand	7.5 KW Best (Option Folinn)
Control System	NC(Optional: DSP)	Max Engraving Speed	6000-24000 mpr
Motor	AC Servo Motor	Maxing Moving Speed	25000mm/min
Driver	Yako Servo Driver	Tool Diameter	φ3.175, φ4, φ6, φ12
Dust collector	Optional	Engraving Instruction	HPGL, G code
Working Voltage	AC220V/50HZ (AC can use 380V)	Reposition Accuracy	Reposition Accuracy




Technical Specifications:

Model	HTC-Titan King Plus 1425	Brand	Y-jet
Name	Wood CNC router 1425	Platform	3mm Aluminum
Working Area	1300*2500*300mm	X,Y, Z Guide Rail	China TOP brand 25mm
Spindle Power	HQD 6KW Air Cooled Spindle	Rack	1.5M
No. of Spindles	One	Inverter Brand	7.5 KW Best (Option Folinn)
Control System	NC(Option: DSP)	Max Engraving Speed	6000-24000mpr
Motor	AC Servo Motor	Maxing Moving Speed	25000mm/min
Driver	Yako Servo Driver	Tool Diameter	φ3.175, φ4, φ6, φ12
Dust collector	Optional	Engraving Instruction	HPGL, G code
Working Voltage	AC220V/50HZ (AC can use 380V)	Reposition Accuracy	Reposition Accuracy




Technical Specifications:

Model	HTC-Prime Cut-1325	Brand	Y-jet
Name	Wood CNC router 1325	Platform	3mm Aluminum
Working Area	1300*2500*300mm	X,Y, Z Guide Rail	China TOP brand 25mm
Spindle Power	HQD 6KW Air Cooled Spindle	Rack	1.5M
No. of Spindles	One	Inverter Brand	7.5 KW Best (Option Folinn)
Control System	NC(Option: DSP)	Max Engraving Speed	6000-24000rpm
Motor	Steper Motor	Maxing Moving Speed	25000mm/min
Driver	Yako Steper Driver	Tool Diameter	φ3.175, φ4, φ6, φ12
Dust collector	Optional	Engraving Instruction	HPGL, G code
Working Voltage	AC220V/50HZ (AC can use 380V)	Reposition Accuracy	Reposition Accuracy



Technical Specifications:

Model	HTC-Primium 2025	Brand	Y-jet
Name	Wood CNC router 2025	Platform	3mm Aluminum
Working Area	2025*2500*300mm	X,Y, Z Guide Rail	China TOP brand 25mm
Spindle Power	HQD 6 x 2 KW air Cooled Sprdle (cxo)	Rack	1.5M
No. of Spindles	Two	Inverter Brand	7.5x2KW Folinn brand inverter
Control System	NC(Option: DSP)	Max Engraving Speed	6000-24000 mpr
Motor	AC Servo Motor	Maxing Moving Speed	25000mm/min
Driver	Yako Driver Servo	Tool Diameter	φ3.175, φ4, φ6, φ12
Dust collector	Optional	Engraving Instruction	HPGL, G code
Working Voltage	AC220V/50HZ (AC can use 380V)	Reposition Accuracy	Reposition Accuracy



Technical Specifications:

Model	HTC-Primium Plus 2225	Brand	Y-jet
Name	Wood CNC router 2225	Platform	3mm Aluminum
Working Area	2225*2500*300mm	X,Y, Z Guide Rail	China TOP brand 25mm
Spindle Power	HQD 6x2 KW air Cooled Sprdle (cxo)	Rack	1.5M
No. of Spindles	Two	Inverter Brand	7.5x2KW Folinn brand inverter
Control System	NC(Option: DSP)	Max Engraving Speed	6000-24000mpr
Motor	AC Servo Motor	Maxing Moving Speed	25000mm/min
Driver	Yako Driver Servo	Tool Diameter	φ3.175, φ4, φ6, φ12
Dust collector	Optional	Engraving Instruction	HPGL, G code
Working Voltage	AC220V/50HZ (AC can use 380V)	Reposition Accuracy	Reposition Accuracy



Spare Parts



Inverter



Control Card



Power Supply



Oil Box (Automatic)




Servo Driver



Circuit Breaker



Magnetic Contactor



Cooling Fan



Servo Driver



HQD Spindle Motor



Push Switch



Al-Razi complex, Suit#G-11th Floor
166-167, Shahid Syed Nazrul Islam
Sharani, Purnan Paltan, Dhaka-1000

Mobile: +88-01897993165, +88-01897993160
E-mail: info@hasantechsolutions.com
Web: www.hasantechsolutions.com
Facebook: www.facebook.com/hasantechsolutions2025